


Propal # 2

Changes are in Red

WS 2



you are

WS 3a
(a-d)

DOG CONTROL OFFICER INSPECTION REPORT - DL-89

Rating: **Satisfactory365**

Purpose: **Inspection**

DATE/TOA: **2/26/15 2:00 pm**

DANIEL BOCCARDO and RICHARD BILLINGS
C/O TOWN OF LYSANDER
8220 LOOP RD
BALDWINVILLE NY 130272517

Inspector: **Emily Cacchione**

Inspector #: **64**

These are the findings of an inspection of your facility on the date(s) indicated above:

- 1. **Equipment is available for proper capture and holding** Yes
- 2. **Dogs are held and transported safely** Yes
I would recommend a cap on truck or an enclosed vehicle for transport In order to transport safely during the 20+ minute drive to the shelter during the extremely low temperatures we have endured this winter.
- 3. **Equipment maintained in clean and sanitary condition** Yes
- 4. **Veterinary care is provided when necessary** Yes
- 5. **Dogs are euthanized humanely** Yes
- 6. **Complete seizure and disposition records are maintained for all seized dogs** Yes
- 7. **Dogs transferred for purposes of adoption in compliance with Article 7** Yes
CNY SPCA handles this
- 8. **Redemption period is observed before adoption, euthanasia or transfer** Yes
CNY SPCA handles this
- 9. **Owners of identified dogs are properly notified** Yes
- 10. **Redeemed dogs are licensed before release** Yes
Town clerk handles this
- 11. **Proper impoundment fees paid before dogs are released** Yes
CNYSPCA handles this

AMERICAN TRUCK & VAN ACC.

3577 ROUTE 31
BALDWINSVILLE, NY 13027
(315) 638-1036

Quote
THANKYOU! WE APPRECIATE
YOUR BUSINESS

Order Date Invoice #

TOWN OF LYSANDER
8220 LOOP RD
BALDWINSVILLE, NY 13027

Page: 1
Same

Salesperson	Clerk	Customer #	Customer P.O.	Terms	Ship Via
ANDY	ANDY	3158578231		COD	DELIVERY
Qty	Mfr	Part Number	Description	List Price	ExtPrice
1			ATV SO EACH V SERIES	1210.00	1210.00
			2014 SILVERADO 1500 DC SB		
			V SERIES 1/2 SLIDERS, PET SCREENS, PW, DOUBLE T		

1 1-0021150 13:50:53 11 May 2015 (51)51

Freight	
Non-Taxable	1210.00
Taxable	0.00
Total Tax	
Total	1210.00

All returns must be accompanied with invoice and subject to a 15% restocking fee. No returns after 30 days. Products sold for use by professional, trained personnel using proper equipment. Not liable for unintended results. Invoice due by 10th of the month. 1 1/2% monthly finance charge assessed on all past due invoices.



Facility #7057552

3e

TRUCK CAP Quote

No. Per Shari

8453 Rt. 11 • PO Box 1430, Cicero, NY 13039
(315) 699-2991 Fax (315) 699-1147 1-800-3GAMLEN www.gamlens.com

Buyer Lysander Animal Cont. Date 5-11-15
Address 8000 Loop Rd Home Ph: 857-8231
City Lysander State _____ Zip 13027 Cell Ph: Dan
Salesperson Shelli Stock/Special Order Due Date: _____

Serial # _____

Year	Make	Model	Cab	Bed Size
14	Chev	S11		S15

SS (Yes/No) _____

Cap Style: V \$ 1,305

Color: Painted 636R Silver

Vin # _____

Side Window: 1/2 slider

Rear Door: Std

Front Window: PW or SFW; Tilt Split (Yes/No) _____

Interior: Plain / Fossliner# _____

Interior Light: Battery or 12V (unwired/wired) _____

Whale tail? _____

Options: Pet screens 62.00

_____ Dist 1,367.00

See Add'l Invoice (Yes / No) _____

Bedliner: (Yes / No) _____ your cost 1,229.00

Installation: Bolt or Clamp; Tape Truck or Cap _____

How did you hear about us? _____ _____
--

Subtotal _____

8% Sales Tax _____

Total Sale. \$ 1,229.00

DP _____ Cash/Check# _____ Charge# _____ \$ _____

Balance Due on Delivery \$ _____

Date _____ Cash/Check# _____ Charge# _____ \$ _____

Customer Approval Signature _____

Service Van Equipment Sales

We Specialize in Service Van Interiors

Partitions, Shelves, Bins
Ladders, Racks
Pick-Up Caps



724 OLD LIVERPOOL ROAD
LIVERPOOL, NEW YORK 13088
(315) 453-7557
FAX (315) 457-6016

ADRIAN STEEL
VAN INTERIORS
GEM TOP CAPS

QUOTATION	DATE 5/11/15	NUMBER
-----------	-----------------	--------

MAKE: CHEVY
MODEL:
YEAR: 2014
WHEELBASE: DOUBLE CAB 6 1/2 BOX

TOWN OF LYSANDER

ITEM NO.	DESCRIPTION	QUANTITY	PRICE	TOTAL
	CENTURY FIBERGLASS CAP ULTRA PAINT TO MATCH TRUCK INSTALLED & WIRED ALLOW TWO WEEK LEAD TIME ED SEITER		\$1400. ⁰⁰	
			SUB-TOTAL:	
			FREIGHT:	
			TAX:	EXEMPT
			TOTAL:	

RECEIVED WS 6

RECEIVED

MAY 18 2015

STATE OF NEW YORK - DEPARTMENT OF TRANSPORTATION
TRAFFIC AND SAFETY DIVISION

MAY 19 2015

SUPERVISOR'S OFFICE
TOWN OF LYSANDER

TOWN CLERK
TOWN OF LYSANDER

STUDY NO.: 3160036

FILE: 31.25-Loc

TROOP: D

NOTICE OF ORDER

THE DEPARTMENT OF TRANSPORTATION HAS FILED AN ORDER WITH THE SECRETARY OF STATE WHEREBY:

SECTION: 1131.25

SUBDIVISION: (m)

PARAGRAPH: ()

OF THE DEPARTMENT'S REGULATION IS () ADDED (X) AMENDED to read as follows: () REPEALED

45 MPH on River Road, CR 38, between Hicks Road and a point 0.3± mile south of Route 31, a distance of 1.2± miles.

The above order will be effective upon the installation, modification or removal of the necessary traffic control device(s) required by and conforming to the State Manual of Uniform Traffic Control Devices.

March 30, 2015
(DATE)

APPROVED BY

Diana L. Grosser
(SIGNATURE)

Regional Traffic Engineer
(TITLE)

DESCRIPTION:

Order amends the southerly limit of the 45 MPH speed zone on River Road. Route 370 to Hicks Road reduced to 40 MPH.

COUNTY: Onondaga

LOCALITY: Town of Lysander

OTHER RELATED ACTIONS () NONE

(X) Identify: add 1131.25 (am)

cc: () CITY

()

() VILLAGE

(X) SHERIFF

(X) REGION (3) TRAFFIC ENGINEER

→ (X) TOWN *Lysander*

(X) STATE POLICE

() OTHER - Specify:

(X) COUNTY SUPT.

() PERMITTEE

DLG:JML:

III 2-a
(a-c)



Joanne M. Mahoney
County Executive

Onondaga County Planning Board

RESOLUTION OF THE ONONDAGA COUNTY PLANNING BOARD

Meeting Date: May 06, 2015

OCPB Case # Z-15-134

- WHEREAS, the Onondaga County Planning Board, pursuant to General Municipal Law, Section 239 l, m and n, has considered and reviewed the referral for a ZONE CHANGE from the Town of Lysander Town Board at the request of David Hayes for the property located at 9386 Oswego Road; and
- WHEREAS, General Municipal Law Section 239-m allows the County Planning Board to review the adoption or amendment of a zoning ordinance or local law and the site is located within 500 feet of Oswego Road (New York State Route 48), a state highway; and
- WHEREAS, the applicant is requesting a zone change from General Business (GB) to Agricultural (A) on a 19.88-acre lot in order to construct a single family residence; and
- WHEREAS, per aerial photography and zoning maps, the site is located in a cluster of parcels with General Business zoning surrounded by Agricultural zoning, though land uses along this section of Route 48 are primarily residential and agricultural, including a mushroom farm on the adjacent parcel to the north; there is a used car business across Route 48 to the south, and several businesses at the intersection with Lamson Road (Wrights Corner) which are located in a Neighborhood Residential Business District (NR-BD); and
- WHEREAS, the Boundary Survey dated April 29, 2009 shows the subject parcel contains an existing metal-sided storage building; an undated hand-drawn survey shows an additional existing 36' x 40' building behind the storage building; no site plan for a proposed residence was submitted with the referral; and
- WHEREAS, the boundary survey shows the site with frontage and a gravel driveway on N.Y.S. Route 48; aerial photography and the survey show an existing residence and garage on the adjacent parcel with an asphalt driveway which may partially encroach on the subject parcel; and
- WHEREAS, per aerial photography and the submitted surveys, the rear portion of the site contains wooded land, an easement for buried natural gas lines, and a possible stream; and
- WHEREAS, the New York State Department of Environmental Conservation Environmental Assessment Form Mapper indicates that the site may contain federal wetlands or other regulated waterbodies; per the U.S. Army Corps of Engineers, National Wetland Inventory Maps may not be used to confirm the presence/absence of federal wetlands on a given parcel of land; the applicant must obtain appropriate permits from the U.S. Army Corps of Engineers for any proposed development or drainage in federal wetlands on site; and
- WHEREAS, the EAF Mapper also states that the site of the proposed action may contain a species of animal, or associated habitats, listed by the state or federal government as threatened or endangered; a permit may be required from the New York State Department of Environmental Conservation (NYS DEC) if the species is listed as endangered or threatened and the NYS DEC determines that the project may be


harmful to the species or its habitat; and

WHEREAS, the site is located outside the Onondaga County Sanitary District; the Environmental Assessment Form dated April 6, 2015 notes the site is served by a private well and septic system; locations in northern Lysander have been known to have issues with ground water as a potable water supply; and

NOW THEREFORE BE IT RESOLVED, that the Onondaga County Planning Board has determined that said referral will have no significant adverse inter-community or county-wide implications. The Board has offered the following COMMENT(S) in regards to the above referral:

The Town may wish to explore the opportunity in its update of the Town zoning ordinance to restore agricultural zoning to other business zoned parcels in the area. Should the Town approve a zone change for the subject parcel, the plan for the next stage of development should include the following:

The site plan should take into consideration the location of any potential streams, wetlands, endangered species, and/or associated habitats on site when selecting a location for the proposed residence. The applicant is also advised to contact the U.S. Army Corps of Engineers and/or the New York State Department of Environmental Conservation to obtain appropriate permits as necessary.



Douglas B. Morris, Chairman
Onondaga County Planning Board
Transmittal Date: 05-06-2015

GML 239 Report of Final Action

NYS GML § 239-m.6. and n.6. require the referring body to file a report of the final action it has taken on a referred matter with the county planning agency within 30 days after the final action (separate from the minutes taken at the meeting). A referring body which acts contrary to a County Planning Board recommendation of MODIFICATION or DISAPPROVAL of a referred matter shall also set forth the reasons for the contrary action in such report.

This section to be completed by the Syracuse-Onondaga County Planning Agency

To: Onondaga County Planning Board **From:** Town of Lysander Town Board

Fax: 435-2439 **Phone:** 435-2611

Re: Applicant: David Hayes
Address: at 9386 Oswego Road
Referral Type: ZONE CHANGE
OCPB Date: May 06, 2015
OCPB Action: No Position With Comment
OCPB Case #: Z-15-134

The local board took the following action regarding the above referenced referral (Check one box. If checking Other, please specify the final action taken. Use the space at the bottom of the report to identify reasons if acting contrary to the OCPB recommendation.):

- Approved the proposed action with regard to the OCPB's No Position or No Position with Comment.
- Approved the proposed action as modified by the OCPB.
- Approved the proposed action contrary to some of the modifications recommended by the OCPB.*
- Approved the proposed action contrary to all of the modifications recommended by the OCPB.*
- Approved the proposed action contrary to the disapproval recommended by the OCPB.*
- Disapproved the proposed action with regard to the OCPB's no position or no position with comment.
- Disapproved the proposed action with regard to the recommended modification(s) by the OCPB.
- Disapproved the proposed action as recommended and for reasons set forth by the OCPB.
- Disapproved the proposed action as recommended but for reasons other than those set forth by the OCPB. (Please list reasons below for local disapproval.)
- Other _____

Local Board Date: _____

*List reasons for acting contrary to the OCPB recommendation and include a copy of the local board resolution. Attach additional reasons on a separate sheet of paper as necessary.

Spring FEST-ravaganza

Sponsored by the Lysander Parks & Recreation Department & M & M Marketing

Date: Sunday, May 31, 2015

Event Time: 11 am to 5 PM Access for Setup: 7 to 11 am and Clean Up: 5 to 7 pm

Vendors: Will be handled by M & M Marketing
Mike & Michele Samoraji
Mike: michaelsamoraj@yahoo.com (315) 663-5539
Michelle: gbc13027@gmail.com

Sponsors: These funds pay for entertainment/band(s) – Handled by M & M Marketing

Facility: Utilizing the grounds at the Lysander Town Hall from the building up to Rt. 31
(M & M will have access to Town Building & vendors will not have access)

Parking: Lysander will provide parking areas at 8220 Loop Rd and SSAC parking area for same – Contact at SSAC is Pam Schnobrich at pam.schnobrich@ssac.com or 857-0209 ext 171.
(Town of Lysander will provide them with a certificate of insurance)

Payment Agreement: M & M Marketing will remit to the Town of Lysander

- Vendor's using electricity will pay \$5 per plug to Town of Lysander
- M & M will pay \$5 per picnic table ordered (Min. 8, Max 12)
- \$5 per vendor participating in the Spring Fest-ravaganza, Will increase to \$10 for Fall.

Other Details

- M & M Marketing may be subject to a trash charge, if trash exceeds weekly/monthly pick up.
 - Vendors are to care in & care out with their trash
- M & M will be responsible for paying for portable restrooms & hand washing station (2015)
- Certificates of Insurance needed from each vendor, including M & Marketing naming the *Town of Lysander* as an additional insured.
 - Certificates are needed in advance in order set up for the event, must be provided to Lysander Parks & Rec. Office
- Parks & Rec will be responsible for staking along Rte 31 with no parking signs.
 - M & M will help keep Rte 31 clear of parking.
- No political booths or signs.

M & M Marketing

Date

Lysander Parks & Rec.

Date

Approved By Town of Lysander Town Board _____

Daniel Boccardo

From: Tony Burkinshaw
Sent: Tuesday, May 19, 2015 10:04 AM
To: John Salisbury
Cc: Daniel Boccardo; Nancy Mott
Subject: RE: Agenda - Surplus Item

From: Tony Burkinshaw
Sent: Monday, May 04, 2015 3:29 PM
To: John Salisbury (supervisor@townoflysander.org)
Cc: Daniel Boccardo; Nancy Mott
Subject: Agenda - Surplus Item

Motion By Seconded By
To declare Mini Frig Surplus – Shot compressor, not worth fixing

Tony Burkinshaw
315-635-5999
Like us on Facebook:
Lysander Parks & Recreation

Item C₁
(1-10)

ESTIMATE

T&S Mechanicals Inc.
PO Box 193
Baldwinsville, NY 13027

DATE	ESTIMATE #
5/15/2015	102

NAME / ADDRESS
Lysander Parks and Recreation 8220 Loop Rd. Baldwinsville, NY 13027

PROJECT		Job #
Water heater installation		
ITEM	DESCRIPTION	TOTAL
Plumbing	Installation of small electric water heater for existing laundry sink. To include the following: 1- supplying and install electric water heater owner to select one of four heaters submitted 2- supplying and install new faucet for hot and cold supply on existing sink 3- tie into existing cold water supply 4- run electrical circuit with a GFI receptacle from existing electrical panel to sink location 5- all permit and inspection fees pertaining to plumbing	1,426.00
This estimate is good for 30 days. If accepted please sign and return to above address.		TOTAL \$1,426.00

SIGNATURE OF AUTHORIZED AGENT

- SHAW

Lysander Parks + Recreation

Cost Breakdown Material Cost

I

1) water heater	\$ 250.00
2) sink faucet	38.00
3) piping, fittings + supply lines	87.00
4) Electrical material (GFI, wire, breaker, etc)	105.00
	\$ 480.00
15% markup	72.00
	\$ 552.00

II

Labor cost	
8 hrs @ \$65/hr	\$ 520.00

III

OHP 19%	\$ 204.00
---------	-----------

IV

Permit costs	150.00
--------------	--------


Total	\$ 1,426.00
-------	-------------



Village Hardware 7182
43 E Genesee St, Baldwinsville 130272527
Tel: 315-638-4026
Email Address: village7182@cnymail.com

4367660

ECOSMART POU 3.5 KW



Disclaimer
Item price may vary.

Ecosmart Water Heater Electric, Tankless 3.5 kW/120 volts 7 in. x 11 in. x 3 in. F

Product Details

- "ECOSMART" POINT OF USE WATER HEATER **Comments**
- Install dimensions 7" x 11" x 3"
- Elements 1 x 3.5 kilowatts at 120 V
- HZ 50/60
- Pipe fitting: 1/2"OD
- Tubing: stainless steel
- Activation flow .25 GPM
- Energy efficiency: 99.8
- Certifications: UL/CSA
- 1 year warranty
- Compact size easily fits under a sink, cabinet or small area
- To find the water heater that best suits your needs, please use the following link:
<http://www.ecosmartus.com/find-a-model-that-suits-you.aspx>

MFG Number: ECO3.5
UPC: 854920002176
Store Retail: \$189.99

5




Village Hardware 7182
43 E Genesee St, Baldwinsville 130272522
Tel: 315-638-4026
Email Address: village7182@cnyemail.com

4574901

MINITNK WTR HTR 2.5G

EcoSmart Water Heater 2.5 gal Electric 5 years



Disclaimer
Item price may vary.

Product Details

- Brand Name: EcoSmart
- Product Type: Water Heater
- Tank Capacity: 2.5 gal
- Power Type: Electric
- Warranty: 5 years
- Capacity: 2.5
- Water Connection Size: .75 in.
- Energy Star Compliant: No
- Element Wattage: 1 watts
- Water Connection Location: Top
- Maximum Temperature: 140 deg. F
- Temperature Pressure Relief Valve: Yes
- Wall Mountable: Yes
- UL Listed: Yes
- Amperage: 12 amps
- Assembled Height: 16.18 in.
- Wattage: 1440 watts
- Maximum Pressure: 150 psi
- Commercial or Residential: Residential
- Assembled Width: 10.9 in.
- Water Heater Type: Tank
- Self Cleaning: No
- Power Source: Electric
- Point of Use: Yes
- Indoor and Outdoor: Indoor
- ETL Listed: Yes
- Minimum Temperature: 50 deg. F
- Voltage: 120 volts

Comments

5

3/11/2015

Print Your Details - Print Preview

MFG Number:	ECO MINI 2.5
UPC:	854920002374
Store Retail:	\$189.99


Mini-Tank Series

1.5, 2.5, 4 and 6 Gallon Mini Tanks Deliver Hot Water Efficiently

Specifications
Electric Mini-Tank Hot Water Heater

Performance Features

- Point-of-use heating eliminates long hot water pipe runs
- Compact design fits virtually anywhere
- Easy and ready to install
- Hot or cold water feed
- Adjustable temperature control 50°-140°F
- T&P relief valve included
- Glass lined tank for extended life
- Floor and wall mountable, bracket included
- Field replaceable element
- ETL tested to UL174 and NSF372
- EMT1, EMT2.5 and EMT4 plug into standard outlets, cord included. EMT6 must be hard wired, pig tail included
- Single weld design
- Tank status indicator light –
Green: ready mode
Red: heating mode
- Warranty, five (5) years limited on leaks, two (2) years on defects



NO LEAD
The wetted surface of this product contacted by water contains less than 0.25% lead and meets ANS/NSF 372



Product Specifications

- Voltage: 120 volts
- Amperage: 12 amps
- Heating Capacity: 1440 watts
- Phase: Single
- Temperatures: 50°-140°F
- Max. Operating Pressure: 150 PSI

	Tank Volume (gals)	Weight (lbs.)	Fittings	Recovery time based on 60° temp. rise
EMT1	1.5	11.7	1/2" NPT connections at TOP of unit	8 minutes
EMT2.5	2.5	15.5	1/2" NPT connections at TOP of unit	15 minutes
EMT4	4	19.3	1/2" NPT connections at TOP of unit	24 minutes
EMT6	6	24.9	3/4" NPT connections at TOP of unit	37 minutes


Special Design Service

Inquiries for units for unique applications are welcome. Call our Technical Service department at **1-800-543-6163**.

Suggested Specification

Water heater shall be an Emax Mini-Tank model number EMT_____.

Unit shall be glass lined with a single weld design. Water connections and supplied T&P valve to be located on top of the unit. Unit shall have a status indicator light with adjustable thermostat. Unit to have a 5 year warranty against leaks.



Dimensions Key	EMT1		EMT2.5		EMT4		EMT6	
	inch	mm	inch	mm	inch	mm	inch	mm
A	9.95	252.7	11.23	285.2	12.88	327.2	14.36	364.7
B	3.15	80.0	3.13	79.5	4.06	103.1	3.46	87.9
C	9.71	246.6	10.89	276.6	12.27	311.7	13.85	351.8
D	3.94	100.1	3.94	100.1	3.94	100.1	3.94	100.1
E	5.08	129.0	5.61	142.5	6.46	164.1	7.52	191.0
F	15.09	383.3	16.91	429.5	18.27	464.1	20.96	532.4
G	14.19	360.4	15.98	405.9	17.41	442.2	19.81	503.2
H*	2.52	64.0	2.52	64.0	2.52	64.0	2.52	64.0

*Mounting bracket location on the back of unit

C7

206

Point of Use "Non-Thermostatic"

Single Point and Flow Controlled (Designed for cold water feed only)

Specifications


Electric Tankless Hot Water Heater

Applications


- Hand washing (0.35-2.0 GPM)
- Kitchen/bar/utility sinks
- Manufacturing facilities
- Public hand washing
- Hand set shower (0.7-2.0 GPM)
- Dual handwash sinks (DL option)
- Modular buildings and tenant spaces

Performance Features

- On demand hot water. Flow switch activates heater only on demand (no standby heat loss). 99% efficient
- Endless hot water – no storage capacity to run out
- Easy installation. No T&P relief valve needed (check local codes). Only one cold water line need be brought to installation, mounts on wall
- High temperature limit switch with automatic reset
- Optional flow restricting aerator (for EX-DL models) ensures proper temperature rise. Standard with SP models
- Prevents Legionella bacteria growth
- Reduces calcification, liming and sedimentation
- Complies with handicap ADA physical installation requirements
- Ni Chrome element – a unique, patented flow path ensures optimum heat transfer and extended element life
- Warranty – Heaters, against failure due to leaks of "Heater Body/Element Assembly", five (5) years – Parts, one (1) year



SP Version 3/8" compression fittings at TOP of unit



EX Version 1/2" compression fittings at BOTTOM of unit

Pictured, EX: Bottom Water Connections

U.S. Patent #'s: 4,762,980 and 4,960,976



The wetted surface of this product contacted by water contains less than 0.25% lead and meets ANSI/NSF 372.



Product Specifications

Dimensions:	10.75" x 5.25" x 2.76"
Weight:	4 lbs.
Cover:	ABS UL rated 94Vo.
Color:	White
Element:	Replaceable cartridge insert
Fittings:	SP -- 3/8" compression fitting at top of unit EX -- 1/2" (5/8" OD) compression fitting at bottom of unit
Operating Pressure:	Min. 25 PSI, max. 150 PSI
UL Listed:	E86887 (A)

U.S. Patent #'s: 4,762,980 and 4,960,976

Special Design Service

Inquiries for units for unique applications are welcome. Call our Technical Service department at 1-800-543-6163.

Suggested Specification

Tankless water heater shall be an Eemax Non-Thermostatic model number _____.

Unit shall have ABS-UL 94V0 rated cover. Element shall be replaceable cartridge insert. Unit shall have replaceable lifter in the inlet connector. Element shall be iron free, nickel chrome material. Heater shall be fitted with compression fitting, 1/2" (5/8"OD) for model EX, or 3/8" fitting (1/2" OD) for model SP, to eliminate need for soldering. Maximum operating pressure of 150 PSI. Hot water storage tanks prohibited. Unit shall be Eemax or approved equal. NOTE: Refer to rating chart for product information.

Specification options available on EX models:

- ___ DL Dual Lavs- supplied with two faucet aerators
- ___ SL Single Lav – supplied with 3/8" compression fittings (0.5 or 1.0 GPM aerator included).
- ___ N4 NEMA 4 waterproof cabinet w/powder coat finish
- ___ N4X NEMA 4 stainless steel waterproof corrosion-resistant cabinet

Point of Use "Non-Thermostatic"

Single Point and Flow Controlled (Designed for cold water feed only)

Specifications

Electric Tankless Hot Water Heater

Series 1
Single Point and
Flow Controlled



MODEL NUMBER	KW	AMPS	TURN ON (GPM)	RECOMMENDED WIRE SIZE (CU)	TEMPERATURE RISE °F			
					0.5 GPM	0.75 GPM	1.0 GPM	1.5 GPM
VOLTS 120								
C SP2412 ¹	2.4KW	20A	0.3	12 AWG	33°	-	-	-
C EX2412	2.4KW	20A	0.3	12 AWG	33°	-	-	-
C SP3012 ¹	3.0KW	25A	0.3	10 AWG	41°	-	-	-
C EX3012	3.0KW	25A	0.3	10 AWG	41°	-	-	-
C SP3512 ¹	3.5KW	29A	0.3	10 AWG	48°	-	-	-
C EX3512	3.5KW	29A	0.3	10 AWG	48°	-	-	-
VOLTS 208 Single Phase								
C SP3208 ¹	3.0KW	15A	0.3	14 AWG	41°	-	-	-
C EX3208	3.0KW	15A	0.3	14 AWG	41°	-	-	-
C SP4208 ¹	4.1KW	20A	0.3	12 AWG	56°	-	-	-
C EX4208	4.1KW	20A	0.3	12 AWG	56°	-	-	-
C SP8208 ¹	8.3KW	40A	0.7	8 AWG	-	76°	57°	38°
C SP8208 DL ¹	8.3KW	40A	0.7	8 AWG	-	76°	57°	38°
C EX8208	8.3KW	40A	0.7	8 AWG	-	76°	57°	38°
C EX8208 DL	8.3KW	40A	0.7	8 AWG	-	76°	57°	38°
VOLTS 240²								
C SP35 ¹	3.5KW	15A	0.3	14 AWG	48°	32°	24°	16°
C SP35 ¹ (derated 208V perf.)	2.7KW	13A	0.3		37°	24°	18°	15°
C EX35	3.5KW	15A	0.3	14 AWG	48°	32°	24°	16°
C EX35 (derated 208V perf.)	2.7KW	13A	0.3		37°	24°	18°	15°
C EX35 SL	3.5KW	15A	0.3	14 AWG	48°	32°	24°	16°
C SP48 ¹	4.8KW	20A	0.5	12 AWG	64°	42°	31°	21°
C SP48 ¹ (derated 208V perf.)	3.6KW	17A	0.5		49°	33°	25°	16°
C SP48 DL	4.8KW	20A	0.5	12 AWG	64°	42°	31°	21°
C EX48	4.8KW	20A	0.5	12 AWG	64°	42°	31°	21°
C EX48 (derated 208V perf.)	3.6KW	17A	0.5		49°	33°	25°	16°
C EX48 SL	4.8KW	20A	0.5	12 AWG	64°	42°	31°	21°
C EX48 DL	4.8KW	20A	0.5	12 AWG	64°	42°	31°	21°
C SP55 ¹	5.5KW	23A	0.5	10 AWG	75°	50°	38°	25°
C SP55 ¹ (derated 208V perf.)	4.1KW	20A	0.5		56°	38°	28°	19°
C SP55 DL ¹	5.5KW	23A	0.5	10 AWG	75°	50°	38°	25°
C EX55	5.5KW	23A	0.5	10 AWG	75°	50°	38°	25°
C EX55 (derated 208V perf.)	4.1KW	20A	0.5		56°	38°	28°	19°
C EX55 DL	5.5KW	23A	0.5	10 AWG	75°	50°	38°	25°
C EX55 SL	5.5KW	23A	0.5	10 AWG	75°	50°	38°	25°
C SP65 ¹	6.5KW	27A	0.7	10 AWG	-	59°	44°	30°
C SP65 ¹ (derated 208V perf.)	4.9KW	24A	0.7		66°	44°	33°	22°
C SP65 DL ¹	6.5KW	27A	0.7	10 AWG	-	59°	44°	30°
C EX65	6.5KW	27A	0.7	10 AWG	-	59°	44°	30°
C EX65 (derated 208V perf.)	4.9KW	24A	0.7		66°	44°	33°	22°
C EX65 DL	6.5KW	27A	0.7	10 AWG	-	59°	44°	30°
C EX65 SL	6.5KW	27A	0.7	10 AWG	-	59°	44°	30°
C SP75 ¹	7.5KW	32A	0.7	8 AWG	-	68°	51°	34°
C SP75 ¹ (derated 208V perf.)	5.6KW	27A	0.7		77°	51°	38°	26°
C SP75 DL ¹	7.5KW	32A	0.7	8 AWG	-	68°	51°	34°
C EX75	7.5KW	32A	0.7	8 AWG	-	68°	51°	34°
C EX75 (derated 208V perf.)	5.6KW	27A	0.7		77°	51°	38°	26°
C EX75 DL	7.5KW	32A	0.7	8 AWG	-	68°	51°	34°
C EX75 SL	7.5KW	32A	0.7	8 AWG	-	68°	51°	34°
C SP85 ¹	9.5KW	40A	0.7	8 AWG	-	87°	65°	43°
C SP85 ¹ (derated 208V perf.)	7KW	34A	0.7		95°	64°	48°	32°
C SP85 DL ¹	9.5KW	40A	0.7	8 AWG	-	87°	65°	43°
C EX85	9.5KW	40A	0.7	8 AWG	-	87°	65°	43°
C EX85 (derated 208V perf.)	7KW	34A	0.7		95°	64°	48°	32°
C EX85 DL	9.5KW	40A	0.7	8 AWG	-	87°	65°	43°
C EX85 SL	9.5KW	40A	0.7	8 AWG	-	87°	65°	43°

¹ 240V units can be used on 208V single phase with 75% reduced temperature output. Please note per UL standards the rating plate and installation instructions will all be according to a 240V applied voltage. Check with local officials prior to derating the electrical infrastructure.
² 3/8" compression fittings at top of unit
 C¹ indicates evaluation and compliance to either Underwriters Laboratories (UL) or Intertek (ETL) under CAN/CSA-C22.2 No. C410, 88.


MODEL NUMBER	KW	AMPS	TURN ON (GPM)	RECOMMENDED WIRE SIZE (CU)	TEMPERATURE RISE °F			
					0.5 GPM	0.75 GPM	1.0 GPM	1.5 GPM
VOLTS 277								
SP3277 ¹	3.0KW	11A	0.3	14 AWG	41°	-	-	-
EX3277	3.0KW	11A	0.3	14 AWG	41°	-	-	-
SP4277 ¹	4.1KW	14.8A	0.3	14 AWG	56°	37°	28°	19°
EX4277	4.1KW	14.8A	0.3	14 AWG	56°	37°	28°	19°
SP60 ¹	6.0KW	22A	0.7	10 AWG	-	55°	41°	27°
SP60 DL ¹	6.0KW	22A	0.7	10 AWG	-	55°	41°	27°
EX60	6.0KW	22A	0.7	10 AWG	-	55°	41°	27°
EX60 SL	6.0KW	22A	0.7	10 AWG	-	55°	41°	27°
EX60 DL	6.0KW	22A	0.7	10 AWG	-	55°	41°	27°
SP80 ¹	8.0KW	29A	0.7	10 AWG	-	73°	55°	36°
SP80 DL ¹	8.0KW	29A	0.7	10 AWG	-	73°	55°	36°
EX80	8.0KW	29A	0.7	10 AWG	-	73°	55°	36°
EX80 SL	8.0KW	29A	0.7	10 AWG	-	73°	55°	36°
EX80 DL	8.0KW	29A	0.7	10 AWG	-	73°	55°	36°
SP90 ¹	9.0KW	33A	0.7	8 AWG	-	82°	61°	41°
SP90 DL ¹	9.0KW	33A	0.7	8 AWG	-	82°	61°	41°
EX90	9.0KW	33A	0.7	8 AWG	-	82°	61°	41°
EX90 SL	9.0KW	33A	0.7	8 AWG	-	82°	61°	41°
EX90 DL	9.0KW	33A	0.7	8 AWG	-	82°	61°	41°
SP100 ¹	10KW	36A	0.7	8 AWG	-	91°	68°	46°
SP100 DL ¹	10KW	36A	0.7	8 AWG	-	91°	68°	46°
EX100	10KW	36A	0.7	8 AWG	-	91°	68°	46°
EX100 SL	10KW	36A	0.7	8 AWG	-	91°	68°	46°
EX100 DL	10KW	36A	0.7	8 AWG	-	91°	68°	46°

Suffix Definitions

- DL Dual Lavs - Two faucet aerators provided
- SL Single Lav - 3/8" compression connections



C9



AROUND TOWN PLUMBING & HEATING

7786 Vicki Lane Baldwinsville, NY 13027

Phone: 315-635-5515 Fax: 315-638-2224

PROPOSAL

Date: 5-18-15

To: TOWN OF LYSANDER 8220 LOOP RD. BALDWINVILLE, N.Y. 13027

ATT: Tony Burkinshaw / recsupr@townoflysander.org / 857-8452 Fax: 635-1515

Re: Park Maint Building Smokey Hollow Rd.

Town Mechanical Inc. is pleased to quote the following:

Scope of Work:

PROVIDE AND INSTALL

(1) COMPACT-WALL MOUNTED ELECTRIC INSTA-HOT ON DEMAND WATER HEATER

(1) UTILITY FAUCET/INSTALL ON EXISTING SINK

INSTALL ELECTRICAL WIRING FROM PANEL TO NEW HEATER

Excludes:

Notes:

Quoted Price For Above Work: \$1085.00 USD, Plus Applicable NY Sales Tax.

(If the WORK or Customer is Tax Exempt, then an ST-124 or Tax Exempt Certificate must be returned with this Accepted Quote)

Payment Due In Full: NET 30

Conditions: This Quote may be withdrawn if not accepted and returned within 30 Days. All Parts and workmanship are guaranteed to be supplied and performed as specified; while the Parts carry the Manufacturer's standard Warranty, and Town Mechanical's **(TMI's) Work is warranted for a period of one year** from the date of completion. Excluded from TMI's Warranty are: Acts Of God and Labor, Parts, and Equipment Supplied or Installed By Customer or Others. Any required or customer requested deviation from the above SCOPE OF WORK involving extra costs shall become additional charges to customer-over and above the within Quoted Price. TMI's performance and completion of work is contingent upon delays that are caused by customer or are otherwise beyond TMI's control. Customer pledges to timely pay the above quoted price plus adders for requested/required additional work-as agreed; without offset, retainage or holdback and customer hereby acknowledges that a Finance Charge of 1.3% Monthly (16% Annually) shall accrue on all past due obligations, and that if TMI is forced to employ an Attorney to collect payment, the Customer agrees to fully reimburse TMI for all collection costs including Attorney's fees, Court Costs and accrued Finance Charges.

Customer Acceptance Of Quote: The within scope of work, quoted price, payment terms, and conditions are hereby acknowledged as acceptable, and customer hereby directs TMI to perform the work as quoted.

Authorized Customer Signature: X _____

Dated: _____ (Print Name): -----

Respectfully Submitted,
TOWN MECHANICAL, INC.

By: John Rudy **Date:** 5-18-15

Estimator: JOHN RUDY

Email address: jrudy@townmechanical.com

cell #: 315-857-7158

Daniel Boccardo

From: John Salisbury
Sent: Tuesday, May 19, 2015 10:05 AM
To: Daniel Boccardo
Subject: FW: ZBA Resignation

This needs to be set up for approval

John A. Salisbury
Supervisor Town of Lysander
8220 Loop Rd
Baldwinsville NY 13027
(315) 857-0281
(315) 635-1515 Fax
supervisor@townoflysander.org

-----Original Message-----

From: The Patricks [<mailto:bigmonky@twcny.rr.com>]
Sent: Tuesday, May 12, 2015 1:50 PM
To: John Salisbury
Subject: ZBA Resignation

Hello Mr. Salisbury,

I have enjoyed and thank you for the opportunity that your administration has afforded me by appointing me to the ZBA. Unfortunately, my current work schedule has prevented me from attending several meetings as Ms. Rice can attest. I feel this is unfair to the board and the people of Lysander. Since I do not see my work schedule changing in the near future, please except my resignation as an appointee to the ZBA. I do sincerely apologize for any inconvenience this may cause but the citizens of Lysander should have a board member that is able to attend the scheduled meetings. Please forward this to the other Town Board and ZBA members so a timely appointment can be made. Thank you for your time and consideration.

Respectfully,
Christopher Patrick

TOWN of LYSANDER
8220 LOOP ROAD
BALDWINSVILLE, NEW YORK 13027
(315) 638-4264

May 27, 2015

Lysander Town Board
8220 Loop Road
Baldwinsville, NY 13027

Re: Lamson Road Water District

Subj: Map Plan & Report Revisions

Dear Town Board Members:

At the request of the Town attorney a few minor revisions were made to the Lamson Road Water District Map Plan and Report which was adopted by resolution at your May 11, 2015 meeting. The revisions include the following corrections.

- The title sheet has been revised to include a revision date of May 27, 2015.
- The table of contents was revised to reflect page number changes and appendix updates.
- The third paragraph of section 1.0, Background and Authorization was revised to remove the reference to the "petition" which was carried last summer by the residents as this was not a legal petition under section 12 of New York State Town Law because the Town had not adopted the Map Plan and Report for the proposed district. This paragraph was replaced with text stating that the Map Plan and Report was prepared by resolution of the Lysander Town Board on January 5, 2015.
- The second paragraph of Section 5.2, Proposed Layout of Distribution System, was removed as it also referred to the "petition" which was carried by the residents last summer.
- The first paragraph of Section 6.3, Estimated Water Usage, deleted reference to the equivalent dwelling unit table which was previously included in appendix B as this data is adequately express in the Property Summary Table included in Section 6.3 of the report.

These revisions will need to be adopted by resolution of the Town of Lysander Board which has been included in the agenda of May 28, 2015.

Regards



Allen J. Yager, P.E.
Town of Lysander Engineer

Attachments

Cc: Anthony Rivizzigno, Esq.